

L Number	Hits	Search Text	DB	Time stamp
12	0	6292827.pn. and (access\$4 near9 database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:39
13	1	6292827.pn. and (access\$4 same database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:40
18	1	6292827.pn. and ( server\$1 near5 database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:43
21	1	6292827.pn. and ( database\$1 same table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:10
24	0	6292827.pn. and ( database\$1 same table\$1 same meta5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:44
25	0	6292827.pn. and ( database\$1 same table\$1 same meta\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:45
26	1	6292827.pn. and ( meta\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 13:52
29	1	6292827.pn. and ( defin\$4 same user\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:06
32	1	6292827.pn. and ( server\$1 same servlet\$1 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:08
35	0	6292827.pn. and ( server same database\$1 same table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:10
36	0	6292827.pn. and ( server\$1 same database\$1 same table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:10
42	1	5987422.pn. and (error\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:16
45	1	5987422.pn. and (database and error\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 14:17
-	0	(error adj2 proof\$3) same (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/07 14:50

-	0	(error adj2 proof\$3) same (server\$1 and database and client\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:02
-	3	(error adj2 proof\$3) same (server\$1 and client\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:02
-	0	(error adj2 proof\$3) and (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:02
-	21	(error adj2 proof\$3) and (server\$1 or database or client\$1 or meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:03
-	0	(error near5 proof\$3) same (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:16
-	0	(error near5 proof\$3) and (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:16
-	408	error near5 proof\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:17
-	303	error adj5 proof\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:31
-	0	(error adj5 proof\$3) same (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:30
-	0	(error adj5 proof\$3) and (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:30
-	0	(error adj10 proof\$3) same (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:31
-	0	(error adj10 proof\$3) same (server\$1 and database and client\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:31
-	386	error adj10 proof\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:32
-	28	(error adj2 proof\$3) and document\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/04/15 10:58

-	1	client\$1 same server\$1 same database same table\$1 same (GUI or UI or interface)same servlet\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 11:11
-	86	help same (web or http or www or on-line) same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 16:10
-	581	on-line near5 help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 16:12
-	24	(on-line near5 help) same famil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 16:11
-	147	help and famil\$5 and fail\$5 and solution\$1 and website\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 16:17
-	103	(help and famil\$5 and fail\$5 and solution\$1 and website\$1 ) and error\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 16:18
-	97	((help and famil\$5 and fail\$5 and solution\$1 and website\$1 ) and error\$1) and table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 16:18
-	82	((((help and famil\$5 and fail\$5 and solution\$1 and website\$1 ) and error\$1) and table\$1) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 16:18
-	68	(((((help and famil\$5 and fail\$5 and solution\$1 and website\$1 ) and error\$1) and table\$1) and database) and client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 16:19
-	53	help adj database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/15 16:31
-	3	(error adj3 proof\$4) same (table\$1 or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/04/16 08:56
-	5675	(troubleshoot\$5 or (help near3 desk))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/26 15:58
-	292	((troubleshoot\$5 or (help near3 desk))) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/27 09:21
-	0	((((troubleshoot\$5 or (help near3 desk))) same database) and (table near10 meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/26 16:00

-	0	((troubleshoot\$5 or (help near3 desk))) same database) and (table\$1 same meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/26 16:01
-	170	((troubleshoot\$5 or (help near3 desk))) same database) and (table\$1 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/26 16:01
-	67	((troubleshoot\$5 or (help near3 desk))) same database) and (table\$1 )) and (client\$1 same server\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/26 16:01
-	63	((troubleshoot\$5 or (help near3 desk))) near5 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/27 09:46
-	16	((troubleshoot\$5 or (help near3 desk))) near5 database) and (database near5 table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/27 09:43
-	15	((troubleshoot\$5 or (help near3 desk))) near5 database) and (database near5 structure\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/27 09:43
-	917	(troubleshoot\$5 or help\$4) near5 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/27 09:58
-	146	((troubleshoot\$5 or help\$4) near5 database) and (table\$1 near5 structure\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/27 10:00
-	0	((troubleshoot\$5 or help\$4) near5 database) and (table\$1 near5 structure\$1)) and (solution\$1 or priciple\$1 or strateg\$4)) and (server\$1 near10 client41)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/27 10:02
-	86	((troubleshoot\$5 or help\$4) near5 database) and (table\$1 near5 structure\$1)) and (solution\$1 or priciple\$1 or strateg\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/09/27 10:02
-	161	troubleshoot\$5 near5 help\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/02 09:36
-	66	(troubleshoot\$5 near5 help\$3) and internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2002/10/02 09:36
-	279	error adj2 proof\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/07 15:22
-	0	(error adj2 proof\$3) and (server\$1 same database same client\$1 same meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/07 14:52

-	2	(error adj2 proof\$3) and (server\$1 same database\$1 same client\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/07 15:19
-	5	(error adj2 proof\$3) and (server\$1 and database\$1 and client\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/07 15:19
-	1	error adj2 proof\$3 adj5 document\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/07 15:23
-	6	error near5 proof\$3 near5 document\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/07 15:32
-	51099	client\$1 same server\$1 servlet\$1 same database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 08:36
-	98	(client\$1 same server\$1 servlet\$1 same database\$1) and (table\$4 same meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 08:37
-	14	((client\$1 same server\$1 servlet\$1 same database\$1) and (table\$4 same meta-data)) and (table\$1 near5 (error\$1 or correct\$4 or proof\$4 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 08:07
-	182	client\$1 same server\$1 same servlet\$1 same database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 08:37
-	0	(client\$1 same server\$1 same servlet\$1 same database\$1) and (table\$4 same meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 08:57
-	196	client\$1 same servlet\$1 same database\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 08:40
-	0	(client\$1 same servlet\$1 same database\$1) and (table\$4 same meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 08:38
-	8	error\$4 near5 proof\$4 near5 exampl\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 08:43
-	4	(client\$1 same server\$1 same servlet\$1 same database\$1) and (table\$4 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 09:01
-	547	java adj2 servlet\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/11 09:06

-	427	(java adj2 servlet\$1) and (client\$1 same server\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:02
-	3	((java adj2 servlet\$1) and (client\$1 same server\$1)) and (table\$1 same meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:06
-	14	((java adj2 servlet\$1) and (client\$1 same server\$1)) and (table\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:03
-	673	java near3 servlet\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:06
-	5	(java near3 servlet\$1) and (table\$1 same meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:07
-	27	(java near3 servlet\$1) and (table\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:15
-	2130	forum\$1 and error\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:18
-	86	forum\$1 same error\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:18
-	12	forum\$1 same error\$4 same correct\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:20
-	271	internet near5 forum\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:20
-	0	(internet near5 forum\$1) and (error\$4 near5 (solution\$1 or solv\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:23
-	129	(internet near5 forum\$1) and ((solution\$1 or solv\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:23
-	4	(internet near5 forum\$1) and (error\$4 same (solution\$1 or solv\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:26
-	11020	information near5 error near5 (solution\$4 or solv\$4 or correct\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:27

-	136	(information near5 error near5 (solution\$4 or solv\$4 or correct\$4)) and (internet same database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:28
-	5	(information near5 error near5 (solution\$4 or solv\$4 or correct\$4)) and (internet same database\$1 same table\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:35
-	2	6122403.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:39
-	4	troubleshoot\$4 near5 information near5 internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:40
-	473	troubleshoot\$4 near5 information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:41
-	414	troubleshoot\$4 near4 information	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:41
-	9	(troubleshoot\$4 near4 information) and (error\$1 near5 (proof\$4 or solution\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:43
-	45	(troubleshoot\$4 near4 information) same (error\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/11 09:44
-	0	6292827.pn. and (access\$4 near5 database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/19 09:41
-	1	6292827.pn. and (search\$4 near5 database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/19 09:55
-	1	6292827.pn. and ( database\$1 near7 table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/19 10:08
-	1	6292827.pn. and ((modif\$4 or chang\$4 or defin\$4) near7 database\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/19 10:10
-	1	6292827.pn. and (user\$4 near 6292827.PN. defin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/19 10:11
-	0	6292827.pn. and (user\$1 near7 defin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/03/19 10:11

-	1	6292827.pn. and (user\$1 same defin\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/03/19 10:11
---	---	---	---	------------------



	Type	Hits	Search Text	DBs
1	BRS	246	error adj2 proof\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	0	(error adj2 proof\$3) same (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	0	(error adj2 proof\$3) same (server\$1 and database and client\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	3	(error adj2 proof\$3) same (server\$1 and client\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	(error adj2 proof\$3) and (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	21	(error adj2 proof\$3) and (server\$1 or database or client\$1 or meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	0	(error near5 proof\$3) same (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
8	BRS	0	(error near5 proof\$3) and (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	408	error near5 proof\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	303	error adj5 proof\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	0	(error adj5 proof\$3) same (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	0	(error adj5 proof\$3) and (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	0	(error adj10 proof\$3) same (server\$1 and database and client\$1 and meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	0	(error adj10 proof\$3) same (server\$1 and database and client\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
15	BRS	386	error adj10 proof\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	28	(error adj2 proof\$3) and document\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	1	client\$1 same server\$1 same database same table\$1 same (GUI or UI or interface) same servlet\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
18	BRS	86	help same (web or http or www or on-line) same error	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	581	on-line near5 help	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	24	(on-line near5 help) same famil\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	147	help and famil\$5 and fail\$5 and solution\$1 and website\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	BRS	103	(help and famil\$5 and fail\$5 and solution\$1 and website\$1 ) and error\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	BRS	97	((help and famil\$5 and fail\$5 and solution\$1 and website\$1 ) and error\$1) and table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	BRS	82	((((help and famil\$5 and fail\$5 and solution\$1 and website\$1 ) and error\$1) and table\$1) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	BRS	68	(((((help and famil\$5 and fail\$5 and solution\$1 and website\$1 ) and error\$1) and table\$1) and database) and client	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	BRS	53	help adj database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	BRS	3	(error adj3 proof\$4) same (table\$1 or database)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	BRS	5675	(troubleshoot\$5 or (help near3 desk))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
29	BRS	292	((troubleshoot\$5 or (help near3 desk))) same database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
30	BRS	0	((((troubleshoot\$5 or (help near3 desk))) same database) and (table near10 meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
31	BRS	0	((((troubleshoot\$5 or (help near3 desk))) same database) and (table\$1 same meta-data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
32	BRS	170	((((troubleshoot\$5 or (help near3 desk))) same database) and (table\$1 )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	BRS	67	(((((troubleshoot\$5 or (help near3 desk))) same database) and (table\$1 ) ) and (client\$1 same server\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
34	BRS	63	((troubleshoot\$5 or (help near3 desk))) near5 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
35	BRS	16	((troubleshoot\$5 or (help near3 desk))) near5 database) and (database near5 table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
36	BRS	15	((troubleshoot\$5 or (help near3 desk))) near5 database) and (database near5 structure\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
37	BRS	917	(troubleshoot\$5 or help\$4) near5 database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
38	BRS	146	((troubleshoot\$5 or help\$4) near5 database) and (table\$1 near5 structure\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
39	BRS	0	((troubleshoot\$5 or help\$4) near5 database) and (table\$1 near5 structure\$1)) and (solution\$1 or principle\$1 or strateg\$4)) and (server\$1 near10 client41)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
40	BRS	86	((troubleshoot\$5 or help\$4) near5 database) and (table\$1 near5 structure\$1)) and (solution\$1 or principle\$1 or strateg\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
41	BRS	161	troubleshoot\$5 near5 help\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
42	BRS	66	(troubleshoot\$5 near5 help\$3) and internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB